

Guidewires

- Guidewires - Fixed Core J Tip
- Guidewires - Fixed Core Straight
- Guidewires - Specialty

Guidewires - Fixed Core J Tip

PTFE Coated Stainless Steel (Box of 10)				
Catalog #	Diameter	Length	Tip Curve Radius	Description
395523	.021"	150cm	3mm	
395406	.021"	260cm	3mm	
395279	.025"	125cm	3mm	
395420	.025"	150cm	1.5mm	
395559	.025"	150cm	3mm	
395610	.032"	40cm	3mm	
395613	.032"	125cm	3mm	
395600	.032"	150cm	3mm	
395622	.032"	260cm	3mm	
395798	.035"	70cm	3mm	
395787	.035"	150cm	1.5mm	
388282	.035"	150cm	3mm	Classic
390282	.035"	150cm	3mm	XTB
393182	.035"	150cm	3mm	Z-Tip
393282	.035"	150cm	3mm	Flexible
395282	.035"	150cm	3mm	
395768	.035"	175cm	3mm	
393999	.035"	180cm	3mm	Straight & J Tip
388794	.035"	260cm	3mm	
395855	.038"	50cm	3mm	Straight & J Tip, Double-ended, Stainless Steel/PTFE Coated
395284	.038"	150cm	3mm	
395839	.038"	260cm	3mm	

PTFE Coated Stainless Steel Double-ended (Box of 10)			
Catalog #	Diameter	Length	Tip Curve Radius
395919	.035"	150cm	Straight & 1.5mm

Exchange Wires - PTFE Coated (Box of 10)			
Catalog #	Diameter	Length	Tip Curve Radius
395585	.025"	260cm	3mm
395722	.035"	200cm	3mm
395794	.035"	260cm	3mm

Guidewires - Fixed Core Straight

Mullins Tip Deflector Wires - Stainless Steel (Box of 10)			
Catalog #	Diameter	Length	Description
395943	.018"	65cm	Mullins Tip Deflector, Stainless Steel
395945	.018"	100cm	

Stainless Steel Guidewires Straight (Box of 10)		
Catalog #	Diameter	Length
395451	.018"	40cm
395200	.018"	80cm
395536	.021"	25cm
395513	.021"	40cm
395206	.025"	40cm
395770	.035"	50cm

PTFE Coated Stainless Steel (Box of 10)		
Catalog #	Diameter	Length
395687	.035"	150cm
395231	.035"	150cm
395703	.035"	200cm

Exchange Wires - PTFE Coated (Box of 10)		
Catalog #	Diameter	Length
395367	.025"	260cm
395369	.035"	260cm
395370	.038"	260cm

Mandrel (Box of 10)		
Catalog #	Diameter	Length
395126	.018"	40cm
395125	.018"	45cm

Guidewires - Specialty

Stainless Steel (Box of 10)

Catalog #	Diameter	Length	Tip Curve Radius
395573	.025"	40cm	3mm
395271	.035"	40cm	3mm
395654	.035"	50cm	3mm

Stainless Steel Double-ended (Box of 10)

Catalog #	Diameter	Length	Tip Curve Radius
395539	.032"	65cm	Straight & 3mm
395680	.035"	45cm	Straight & 3mm
395899	.035"	65cm	Straight & 3mm

Bentson Wires - PTFE Coated (Box of 10)

Catalog #	Diameter	Length
395930E	.035"	150cm
395170	.035"	180cm
390033	.035"	260cm

Movable Core PTFE Coated (Box of 10)

Catalog #	Diameter	Length	Tip Curve Radius	Special Feature
395312	.035"	150cm	3mm	Classic

Notes

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and extend across the width of the page. There are no margins, text, or other markings on the paper.